

## Technical specifications

*Electric fan type "IN-OUT" for Lucernario aerante*



### Product description

Electric fan 24V powered which can be installed in correspondence with the air intakes of the Lucernario aerante. This electric devise has two fans for the pulling out or letting in of air.

### Materials

AISI 304 stainless steel - plastic

### Contents Technical sheet

Page 2 - Technical Specifications

Page 3 - Installation


## Technical specifications

### Electrical operating data (for each fan)

|                    |        |
|--------------------|--------|
| Voltage            | 24 V   |
| Power supply type  | DC     |
| Energy consumption | 6.2 W  |
| Power consumption  | 260 mA |

Data provided by the manufacturer

### Wiring

|                   |   |
|-------------------|---|
| Brown wire        | + IN  |
| Grey wire         | + OUT   |
| Black wire        | -   |
| Yellow-green wire | GND   |
| Connector wiring  |  |

### Performance

|                       |                      |
|-----------------------|----------------------|
| Maximum air flow rate | 70 m <sup>3</sup> /h |
|-----------------------|----------------------|

Data provided by the manufacturer

### Compatibility

Not compatible with models of Lucernario aerante with "Open-Close" air intakes.

**ATTENTION**  
Operate only one fan at a time.

## Technical specifications

### Installation



User 1: From the inside, place the counter plate and mark the holes with a marker.



User 1: Drill the micro-perforated mesh next to the marks.



User 1: Insert the cleaner with the vent facing downwards and keep it pressed.



User 2: From the outside, insert the counter plate.



User 2: Screw the self-locking nuts with your fingers.



User 2: Tighten the nuts with the wrench.



Proceed with wiring.

Thank you for purchasing our *Lucernario aerante* accessories.

The product and the *Lucernario aerante*® brand are property of Bottega del ferro.  
Bottega del ferro reserves all rights to modify the characteristics of the products shown without prior notice.  
This document and all the others relating to the products *Lucernario aerante* and *Lucernario aerante INOX* are available on the websites [www.lucernarioaerante.it](http://www.lucernarioaerante.it) and [inox.lucernarioaerante.it](http://inox.lucernarioaerante.it).



Bottega del ferro  
Via del Boscone, 8  
25014 Castenedolo (BS) Italia  
T. +39 030 2731985  
F. +39 030 2130930  
[info@bottegadelferro.net](mailto:info@bottegadelferro.net)  
[www.bottegadelferro.net](http://www.bottegadelferro.net)  
[www.lucernarioaerante.it](http://www.lucernarioaerante.it)